

Posto KEM Ltda.

Estrada Marechal Alencastro nº 3.660

Anchieta - Rio de Janeiro – RJ

Telefone: 3339-4546 / 2455-6139

e-mail: kem@postokem.com.br



MERCEDES-BENZ



Modelos	Motor		Câmbio / Cambio		Diferencial	
	Lubrificantes Lubrificantes	Litros	Lubrificantes Lubrificantes	Litros	Lubrificantes Lubrificantes	Litros
O 371 R/RS	BRUTUS ALTA PERFORMANCE 15W40 BRUTUS T-5 15W40	21,5	G 3/60 e G 3/61: A T FLUIDO TIPO A	5,0	IPIRGEROL SP 90 HO 4/23 HO 4/01 HO 7/01 C/Planetarias	5,25 11,0 18,5
O 400 R/RS		28,5	ZF: IPIRGEROL EP 80	13,0		18,5
OF 1113, OF 1115, OF/OH 1315		17,5	G 3/60 e G 3/61: A T FLUIDO TIPO A	5,0	HL 4 e HH 4	5,25
OF 1318						HL 5
OH 1420 e OH 1518		18,3	G 3/55, ZF S 6- 90 e ZF S 6-105:	13,0		5,25
OF 1113, OF 1114, OF/OH 1517		14,0				11,0
OF/OH 1618		16,3				5,25
OF 1517, OF 1419 OH 1421, OH 1621		15,0	ZF S 6-680 e ZF S 6-1550: ULTRAMO TURBO SAE 40 RETARDADOR VOITH: ULTRAMO TURBO SAE 30	-		11,0
OH 1625, OH 1630,		16,3				24,5
L 2225		15,0	ZF AK 6/80 ou ZF S 6/80 IPIRGEROL EP 80	15,0		6,2 + 6,2
L/LK/LS 1625		22,0	ZF 4 S 120 GP IPIRGEROL EP 80	12,0	HL 4/01D10	5,25
L 1218 EL, L 1418 EL		16,3	G 60/6/9,2: A T FLUIDO TIPO A G 85/6/6,7: AT FLUIDO TIPO A EATON 6209A: ULTRAMO TURBO SAE 40	9,0	HL 4/61D10 HL 5/2	10,0
L 1622						10,0
LS 1634	22,0	ZF 16 S 1650: IPIRGEROL EP 80	16,1	HL 7/022-D12,3	12,0	

MERCEDES-BENZ



Modelos	Motor		Câmbio / Cambio		Diferencial	
	Lubrificantes Lubrificantes	Litros	Lubrificantes Lubrificantes	Litros	Lubrificantes Lubrificantes	Litros
608D, 608E, LO 608D, L 610, 708, 709 OF/LO 812, 912 710, 712, LO/OF 814, OF/LO 914, 914 (ATÉ 1996)	BRUTUS ALTA PERFORMANCE 15W40 BRUTUS T-5 15W40	10,8	MB G2/24, G3/36 e G3/40, G3/50:	3,4	IPIRGEROL SP 90 (HL 4/25,26,27,22, AL 4/5) (HL 4/21) (HL 4/01 e HL 5/2)	3,2
G3/60 e G361 A T FLUIDO TIPO A			5,0			
712C, 914C OF 1417		15,0	ZF S 5 ULTRAMO TURBO SAE 40	3,5		4,0 11,0
1215C		10,0	MB G3/55 IPIRGEROL EP 80	4,5		5,25 6,20
1214C/K (a partir de 1999)			MB G3/50 e G3/60 A T FLUIDO TIPO A	5,0		
L/LK-1114, 1118,1314,1318, LA/LAK 1418, 1514, 1518 LA/LAK- 1314, 1317, L-2014 L/LB/LK-2214, 2216, 2217		16,5	Caixa de transferência: (caja de transferencia): VG 500-3W/1,64e ZG 500- 3W/1,64/1,85: IPIRGEROL SP 90	4,5		11,0
L/LK1214, 1214, 1214K, 1218, L1218, L/LK1414, 1414, 1414K, L/LK1418, 1418,1418K,L/LK1614, L/LK1618, L/LK1621, 1714, 1718, 1718K, L2318 LA/LAK 1418 L2314, L/LB/LK2318, 2414 2418(6x2 e 6x4)		16,3	MB G3/50 e G3/60: A T FLUIDO TIPO A	5,0		5,25
L/LK 1621 e 1721			Caixa de transferência: (caja de transferencia): IPIRGEROL SP 90	4,5		11,0 5,25
L1218R, 1418R, L1418R			ZF S 6-90: IPIRGEROL EP 80	13,0		6,2 5,25
LA/LAK 1418		15,0	ZF S 6-680: ULTRAMO TURBO SAE 40	8,0		
	MB G3/60: A T FLUIDO TIPO A		5,0			
		Caixa de transferência: (caja de transferencia): VG 500-3 W: IPIRGEROL SP90	3,8			

MERCEDES-BENZ



Modelos	Motor		Câmbio / Cambio		Diferencial				
	Lubrificantes Lubrificantes	Litros	Lubrificantes Lubrificantes	Litros	Lubrificantes Lubrificantes	Litros			
L/LK1620, 1718K,1720,1720K	BRUTUS ALTA PERFORMANCE 15W40 BRUTUS T-5 15W40	22,0	ZF S 5-680:	14,5	(Dianteiro AL-4/6) (delantero) (Traseiro HL-4/060) (Trasero) Diferencial Planetarias-cada	18,0			
1720A			ULTRAMO TURBO SAE 40			7,5/ 8,0	5,25		
LS 1632			ZF 16 S 1650: IPIRGEROL EP 80			18,0	3,25		
1718A			15,0/ 14,0			ULTRAMO TURBO SAE40	8,0	HL6/60:	5,25
1718M						ZF S 5-680			18,0
1718 K						ZF S 6-820:			7,5
1723						ZF S 6-820:			11,0
1723S			MB G3/60: A T FLUIDO TIPO A			5,0	1º Diferencial	6,2	
L/LK 2318, 2418			Cx. Transferência: (caja de transferencia): IPIRGEROL SP 90			3,8	2º Diferencial	5,25	
L/LK 2325, LB 2325			22,0			IPIRGEROL EP80	12,0	1º Diferencial	11,0
						ZF 8 S 135:			10,5
2423B, 2423K			28,0			ZF 9 S-75/13.16	9,5	1º Diferencial	7,5
						Eaton FS 6209A: ULTRAMO TURBO SAE 40			7,5
2428			28,0			MB G 221-9 IPIRGEROL EP 80	16,0	1º Dif. HD-4/02 DG	12,5
								2º Dif. HD-4/02 D	11,0
L/LS/LK 2638 LS 1938 1938 S / 1938 S 6X2	26,0	ZF 16 S 1650: IPIRGEROL EP 80	16,5	1º/2º Diferencial-cada Planetarias-cada	12,0				
		MB G210-16: IPIRGEROL EP 80			16,0	12,0			
1944 S / 1944 S 6X2									
2038, 2638	31,0	ZF 16 S 1650: IPIRGEROL EP 80	15,0		18,5/ 22,0				
L/LS/LK 1519, L/LK/LS 1520, L/LK 2219, L/LB/LK 2220	19,0		13,0		11,0				
L/LS/LK 1935, L/LS 1941, L/LS 2635	29,5		16,0	Diferencial Planetarias-cada	18,5 3,25				
L 1625	24,5		12,0		11,0				
L/LS 1929,1524, 1525	21,0		13,0						
LS 1933	25,0		16,0	Diferencial Planetaria-cada	18,5 3,25				

MERCEDES-BENZ



Modelos	Motor		Câmbio / Cambio		Diferencial				
	Lubrificantes Lubrificantes	Litros	Lubrificantes Lubrificantes	Litros	Lubrificantes Lubrificantes	Litros			
SPRINTER 412D		7,0	IPIRGEROL EP 80 MB G 28-5:	1,9	ÓLEO ESPECIAL	1,81			
LO 814 (A PARTIR DE 2000)		10,8	MB G 3/55: Automatico: (Allison AT 545) ISAMATIC III	3,5 18,9	IPIRGEROL SP 90	3,2			
LO 914C (A PARTIR DE 2000) 712 C, 914 C (A PARTIR DE 2000)		15,0	ULTRAMO TURBO SAE 40 ZF S 5-42:	3,5					
			ZF S 5-680: Automático: (Allison MT643R) ISAMATIC III	8,0 17,0			7,5		
OF 1417									
OF 1621, OF 1721	BRUTUS ALTA PERFORMANCE 15W40 BRUTUS T-5 15W40			ZF S 5-680: ULTRAMO TURBO SAE 40 Automático: (ZF 4 HP 500) A T FLUIDO DEXRON II ou ISAMATIC III (Allison MT 643 R) ISAMATIC III			8,0	11,0	
OH 1420, OH 1621 LE							17,0	10,0	
OH 1421L									
OH 1623 LG				ZF S 5-680/820 ULTRAMO TURBO SAE 40			7,5	11,0	
OH 1628 L				22,0			Automático: ISAMATIC III ou A T FLUIDO DEXRON II (VOITH) (ZF 4HP 590) ZF S 6-1550: IPIRGEROL EP 80	28,0 30,0 13,0	
O 400 RSE, O 400 RSD				26,0					
O 400 UPA PLE				22,0	Automático: (VOITH DIWA D-863) A T FLUIDO DEXRON II ou ISAMATIC III	28,0	17,0		